



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/080,913	02/21/2002	Luu Thanh Nguyen	NSC1P131X1	1176	
22434	7590 06/10/2003				
BEYER WEAVER & THOMAS LLP			EXAMI	EXAMINER	
P.O. BOX 778 BERKELEY, CA 94704-0778			FARAHANI, DANA		
			ART UNIT	PAPER NUMBER	
			2814		
			DATE MAILED: 06/10/2003	DATE MAILED: 06/10/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

			- IM
	Application No.	Applicant(s)	
	10/080,913	NGUYEN ET AL.	
Office Action Summary	Examiner	Art Unit	
0	Dana Farahani	2814	
The MAILING DATE of this communication app Period for Reply	ears on the cover sh	et with the correspondence ac	ldress 、
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, or within the statutory minimum vill apply and will expire SIX (6 cause the application to become	may a reply be timely filed n of thirty (30) days will be considered time 6) MONTHS from the mailing date of this come ABANDONED (35 U.S.C. § 133).	ly. ommunication.
Status 1) \(\sum_{\text{Page}} \text{Page} \text{Page} \text{Page} \text{Page} \text{Page} \text{Page} \qu	April 2002		
1) Responsive to communication(s) filed on <u>02 A</u>			
,	is action is non-final.		a a mandita ia
3) Since this application is in condition for allowated closed in accordance with the practice under a Disposition of Claims			ie ments is
4)⊠ Claim(s) <u>19-43</u> is/are pending in the applicatio	n.		
4a) Of the above claim(s) is/are withdraw	vn from consideratio	n.	
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>19-43</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/or	r election requiremer	nt.	
Application Papers			
9) The specification is objected to by the Examine	r.		
10) The drawing(s) filed on is/are: a) accept	oted or b) objected to	by the Examiner.	
Applicant may not request that any objection to the			
11) The proposed drawing correction filed on	_is: a)☐ approved b) disapproved by the Examir	ier.
If approved, corrected drawings are required in rep	oly to this Office action.		
12) The oath or declaration is objected to by the Ex	aminer.		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim for foreign	priority under 35 U.	S.C. § 119(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:			
1. Certified copies of the priority documents	s have been received	d.	
2. Certified copies of the priority documents	s have been received	d in Application No	
3. Copies of the certified copies of the prior application from the International But * See the attached detailed Office action for a list	reau (PCT Rule 17.2	?(a)).	Stage
14) Acknowledgment is made of a claim for domesti			ıl application).
a) The translation of the foreign language pro	visional application I	nas been received.	,
Attachment(s)	p		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) 🔲 Not	erview Summary (PTO-413) Paper No tice of Informal Patent Application (PT er:	

Art Unit: 2814

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

2. Claims 19, 22, 24, and 26-28 are rejected under 35 U.S.C. 102(e) as being anticipated by Akiyama et al., hereinafter Akiyama (U.S. Patent 6,307,269), newly cited.

Regarding claims 19, 24, and 27, Akiyama discloses in figure 39b an apparatus comprising a flip chip integrated circuit having bond pads 1b with solder bumps 2 formed thereon an active surface of the flip chip; and a layer of an underfill 5 is formed on the active surface of the flip chip integrated circuit.

Regarding claims 22, and 28, the solders are exposed through the adhesive layer.

Art Unit: 2814

Regarding claim 26, the substrate 1 has a plurality of contact pads 1b, which connect the flip chip to the substrate.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama.

Akiyama discloses the limitation in claim 23, as discussed above, except for the relative dimensions of the bumps and the adhesive. Note that the specification contains no disclosure of either the critical nature of the claimed dimensions of any unexpected results arising therefrom. Where patentability is said to be based upon particular chosen dimensions or upon another variable recited in a claim, the Applicant must show that the chosen dimensions are critical. In re Woodruff, 919 F.2d 1575, 16 USPQ 2d 1934, 1936 (Fed. Cir. 1990). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the contact bumps smaller or larger according to a specific application.

5. Claims 20 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama, as applied to claim 19 above, and further in view of Kato (U.S. Patent 6,486,562).

Art Unit: 2814

Akiyama discloses the limitation in claims 19 and 20, as discussed above, except for the adhesive being an epoxy resin.

Kato discloses at column 2, lines 10-15, that epoxy resin is used to increase mechanical coupling between a substrate and a flip chip. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use epoxy resin as the adhesive in Akiyama structure in order to enhance mechanical coupling between the substrate and the flip chip.

6. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama, as applied to claim 19 above, and further in view of Morihara (U.S. Patent 5,495,439).

Akiyama discloses the limitations in claims 19 and 21, as discussed above, except for coefficient of thermal expansion of the substrate is substantially similar to the adhesive.

Morihara discloses a device package wherein an adhesive layer has coefficient of thermal expansion same as a substrate in which it is located. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to make the device in Schuelle such that coefficient of thermal expansion of the adhesive is same as the substrate to reduce stress related failures due to coefficient of thermal expansion mismatch between the substrate and the adhesive layer.

7. Claims 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama.

Art Unit: 2814

Akiyama discloses the limitation in the claim, except for the range of coefficient of thermal expansion of the adhesive, and other properties of the adhesive mentioned in those claims. It would have been obvious to one of ordinary skill in the art at the time of the invention to choose appropriate range of coefficient of thermal expansion for a particular application, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

8. Claims 32-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama, as applied to claim 19 above, and further in view of Chiu et al., hereinafter Chiu (U.S. Patent 6,391,683).

Akiyama discloses the limitations in those claims, as discussed above, except for a dam around the underfill adhesive and a solder, or fluxing material on the substrate.

Chiu discloses in figure 3C dam 111 around resin 141, and resin 141 is on substrate 110. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use a resin material on the substrate of Akiyama, and further form a dam around it in order to support the contacts 34 of the Akiyama structure, while preventing the material from flowing to peripheral areas of the substrate.

9. Claims 35, 36, and 39, are rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama in view of Holzapfel et al., hereinafter Holzapel (U.S. Patent 5,872,633), newly cited.

Akiyama discloses the limitations in the claims, as discussed above, except for a plurality of die.

Art Unit: 2814

Holzapfel discloses in figure 6 a semiconductor device with a plurality of die 406.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use a plurality of die in the Akiyama reference in order to make an array of chip packages to be used in various applications, as this is common in the semiconductor manufacturing industry.

10. Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama in view Holzapfel.

Akiyama and Holzapfel disclose the limitation in claim 35, as discussed above, except for the relative dimensions of the bumps and the adhesive. Note that the specification contains no disclosure of either the critical nature of the claimed dimensions of any unexpected results arising therefrom. Where patentability is said to be based upon particular chosen dimensions or upon another variable recited in a claim, the Applicant must show that the chosen dimensions are critical. In re Woodruff, 919 F.2d 1575, 16 USPQ 2d 1934, 1936 (Fed. Cir. 1990). It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the contact bumps smaller or larger according to a specific application.

11. Claim 38 is rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama in view Holzapfel, as applied to claim 35 above, and further in view of Kato (U.S. Patent 6,486,562).

Akiyama and Holzapfel disclose the limitation in the claim, as discussed above, except for the adhesive being an epoxy resin.

Art Unit: 2814

Kato discloses at column 2, lines 10-15, that epoxy resin is used to increase mechanical coupling between a substrate and a flip chip. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use epoxy resin as the adhesive in Akiyama structure in order to enhance mechanical coupling between the substrate and the flip chip.

12. Claims 40--42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama in view Holzapfel.

Akiyama in view Holzapfel renders obvious the limitations in the claims, except for the range of coefficient of thermal expansion of the adhesive, and other properties of the adhesive mentioned in those claims. It would have been obvious to one of ordinary skill in the art at the time of the invention to choose appropriate range of coefficient of thermal expansion for a particular application, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or working ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

13. Claim 43 is rejected under 35 U.S.C. 103(a) as being unpatentable over Akiyama in view Holzapfel, as applied to claim 35 above, and further in view of Chiu et al., hereinafter Chiu (U.S. Patent 6,391,683).

Akiyama in view Holzapfel renders obvious the limitations in those claims, as discussed above, except for a dam around the underfill adhesive and a solder, or fluxing material on the substrate.

Chiu discloses in figure 3C dam 111 around resin 141, and resin 141 is on substrate 110. Therefore, it would have been obvious to one of ordinary skill in the art at

Art Unit: 2814

the time of the invention to use a resin material on the substrate of Akiyama, and further form a dam around it in order to support the contacts 34 of the Akiyama structure, while preventing the material from flowing to peripheral areas of the substrate.

Product-by-Process Limitations

While not objectionable, the Office reminds Applicant that "product by process" limitations in claims drawn to structure are directed to the product, per se, no matter how actually made. *In re Hirao*, 190 USPQ 15 at 17 (footnote 3). See also, *In re Brown*, 173 USPQ 685; *In re Luck*, 177 USPQ 523; *In re Fessmann*, 180 USPQ 324; *In re Avery*, 186 USPQ 161; *In re Wethheim*, 191 USPQ 90 (209 USPQ 554 does not deal with this issue); *In re Marosi et al.*, 218 USPQ 289; and particularly *In re Thorpe*, 227 USPQ 964, all of which make it clear that it is the patentability of the final product per se which must be determined in a "product by process" claim, and not the patentability of the process, and that an old or obvious product produced by a new method is not patentable as a product, whether claimed in "product by process" claims or otherwise. Note that applicant has the burden of proof in such cases, as the above case law makes clear. Thus, no patentable weight will be given to those process steps which do not add structural limitations to the final product.

For example, in claims 27, 33 and 34, the timing of the adhesive cure, solder paste and fluxing material on the substrate are considered methods of forming the device and not limitation of the final product. Therefore, such limitations are given no patentable weight.

Art Unit: 2814

Response to Arguments\

14. Applicant's arguments filed on 4/2/03, with respect to the previously rejected claims have been fully considered and are persuasive. Therefore, new grounds of rejection are presented in this Office Action.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dana Farahani whose telephone number is (703)305-1914. The examiner can normally be reached on M-F 9:00AM - 6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael M Fahmy can be reached on (703)308-4918. The fax phone numbers for the organization where this application or proceeding is assigned are (703)872-9318 for regular communications and (703)872-9319 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0956.

Dana Farahani June 4, 2003

SUPERVISORY PRIMARY EXAMINER TECHNOLOGY CENTER 2800